



UA-960

Order No.: 0150820

PRODUCTINFOS

Active antenna splitter

- For operating up to four UHF PLL receivers of the UF/RU series with one pair of antennas
- Compatible with RU-901G3 and TXS-6X6 series
- With this device, it is not longer required to use the respective antennas and plug-in power supplies of the individual devices
- Frequency range: 470-960 MHz
- Power supply via four low-voltage outputs (4 x DC 12 V/1 A max.)
- Each antenna to be connected via BNC jacks
- Additional connection for cascading further antenna splitters
- Supplied with suitable connection cables
- Power supply for optional antenna booster UB-900I directly via UA-960 (can be deactivated internally)

Manufacturer information:

JTS PROFESSIONAL CO., LTD.
No. 148, Gongye 9th Rd., Dali Dist.
41280 Taichung City
Taiwan
jts@jts.com.tw

EU-Representative:

MONACOR INTERNATIONAL GmbH & Co. KG
Zum Falsch 36
28307 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages

The unit uses dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Inexpert handling may result in electric shock.

Do not operate the unit and disconnect the mains plug from the socket immediately if the unit or the mains cable is visibly damaged; if a defect might have occurred after the unit was dropped or suffered a similar accident, if malfunctions occur. In any case, the unit must be repaired by skilled personnel.

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

TECHNICAL SPECIFICATIONS

UA-960

Frequency range	470-960 MHz
Channels	4
Connection	BNC
Active/passive	active
Power supply	~ 100-240 V/50-60 Hz/60 W
Dimensions	482 x 45 x 250 mm, 1 RS
Weight	2.15 kg

UA-960

EAN code	4007754248890
Net weight	3.09 kg