



## KA-8TH/1

Order No.: 0254410

### PRODUCTINFOS

#### Hand-held UHF PLL transmitter

- Matching the wireless 16-channel PLL audio transmission system for cameras KA-10/1PACK or the PLL pocket receiver TG-10R/1
- Condenser cartridge with cardioid polar pattern
- Adjustable sensitivity
- Mute function
- Battery status indication and LCD for indicating channel

**Licence-free in the EU.**

#### Manufacturer information:

JTS PROFESSIONAL CO., LTD.  
No. 148, Gongye 9th Rd., Dali Dist.  
41280 Taichung City  
Taiwan  
jts@jts.com.tw

**EU-Representative:**

MONACOR INTERNATIONAL GmbH & Co. KG  
Zum Falsch 36  
28307 Bremen  
Germany  
info@monacor.com

**Safety Notes and Warning Messages**

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Remove the rechargeable batteries or batteries if the device is not in use for a longer period of time (e.g. more than a week). This avoids possible damage through leaking batteries.

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

Batteries and rechargeable batteries must not be disposed of with household waste. They must be disposed of in accordance with local regulations for hazardous waste.

**TECHNICAL SPECIFICATIONS****KA-8TH/1**

Description	Hand-held microphone transmitter
Transmission method	wireless
Polar pattern	cardioid
System	condenser
Carrier frequency range	863-865 MHz
Transmitting power	10 mW
Power supply	2 x batt. AA size, alkaline (not supplied)
Operating time	approx. 20 h
Audio frequency range	40-16,500 Hz
Power supply	2 x 1.5 V batt. AA size
Admiss. ambient temp.	0-40 °C
Dimensions	Ø 51 mm x 260 mm
Weight	216 g
Packaging dimensions (W x H x L)	0.1 x 0.08 x 0.3 m
Gross weight	0.352 kg
Net weight	0.216 kg

**KA-8TH/1**

EAN code	4007754230260
----------	---------------

**KA-8TH/1**

Net weight

0.216 kg