



TG-98RA/5

Order No.: 0257400

PRODUCTINFOS

Professional PLL Tour Guide System

- Bandwidth: 36 MHz
- 6 groups with up to 22 channels
- 124 channels
- 506-542 MHz
- Operating range: up to 200 m
- Operating time: approx. 10 hours
- There are restrictions or requirements within the EU!

Professional PLL pocket receiver

- Built-in speaker
- 3.5 mm headphone connection
- Supplied with matching clip-on earphone with rubber ear hook
- Audio output via 3.5 mm jack
- LCD for indicating channel/group, RF and battery status
- Limiter function
- Automatic switch-off (power-saving function)

- Volume level control
- Belt clip and lanyard

There are restrictions or requirements within the EU!

Please read the notes regarding wireless systems in the section “IMPORTANT INFORMATION”!

Manufacturer information:

JTS PROFESSIONAL CO., LTD.
No. 148, Gongye 9th Rd., Dali Dist.
41280 Taichung City
Taiwan
jts@jts.com.tw

EU-Representative:

MONACOR INTERNATIONAL GmbH & Co. KG
Zum Falsch 36
28307 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Remove the rechargeable batteries or batteries if the device is not in use for a longer period of time (e.g. more than a week). This avoids possible damage through leaking batteries.

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

Batteries and rechargeable batteries must not be disposed of with household waste. They must be disposed of in accordance with local regulations for hazardous waste.

TECHNICAL SPECIFICATIONS

TG-98RA/5

General information

Description tour guide system pocket receiver

Carrier frequency range 506-542 MHz

Audio frequency range 40-18,000 Hz

TG-98RA/5

Channels	1
Operating time	> 10 h
Admiss. ambient temp.	0-40 °C
Specifications receiver	
Power supply receiver	2 x 1.2 V NiMH rech. batt. AA size (not supplied)
Width receiver	62 mm
Height receiver	112 mm
Depth receiver	28 mm
Weight receiver	72 g
Connections receiver	1 x 3.5 mm jack (headphones), 1 x 3.5 mm jack (audio output)

TG-98RA/5

EAN code	4007754248937
Net weight	0.155 kg